



Sales Office:

 Plot No. D-46, Neb Sarai, IGNOU Road, (Near Gate No. 4 of Freedom Fighter Enclave), New Delhi-110068 (INDIA)

 Mail Us:
 Mobile No.:

 business@indiaals.com • sales@indiaals.com
 Sales: +91-7330303060, 7330303040, 7330303010

 Technical Info.: +91-9999999002 | Projects: +91-7330505050

ARCHITECTURAL LIGHTING SOLUTIONS Premium Linear Led Lighting






INTRODUCTION

Architectural Lighting Solutions (ALS) is a market leader which cater to demand of premium linear led lighting. ALS has the largest range in anodized aluminum profile made in India.

ALS manufactures and markets technically up market linear profiles matching aesthetics and quality norms of the best European fixtures available in Indian markets. The company employs full time technical staff, supported by excellent workshop and warehousing facilities.

ALS has successfully completed many prestigious projects during its existence, working on pan – India basis, apart from a network of dealers. Changing concepts to reality has been the forte of ALS – this all comes with competitive pricing, unprotected deliveries and excellent post sales services – creating a win-win situation for all.

ALS enjoys a good reputation among architects, interior designers, lighting consultants and specifiers.





PREMIUM LINEAR LED LIGHTING

MICRO RM0809 TRIM

MICRO RM1214 TRIM

POP FLAT 1214

POP WINGS 2525

01

03

05

07

INDEX

PREMIUM LINEAR LED LIGHTING





MICRO SM1214 03



BEND 1413 TOP VIEW 04



POP COVE MICRO 1035

07



LP 0101 09



LP 0105 11



11



LP 0106

LP 0102



LP 0107 12



LP 0108

12











BEND 1806

MICRO SM1013

02





02







ALS RETAIL GLASS MOUNTED-01

17

ECO 2518

ECO 5035

ECO 5070 3D

24

22

20



15





ALS GLASS SHELF RECESSED



ECO 2520 TRIM

ECO 5035 TRIM

ECO 5070 FLAT

24



17

20

22

LP 0301 (TRIPLE) 15



13









POP WINGS 3535 08

POP CORNER OUT 1214 06



POP WINGS 5035

08

BEND PMMA 1018 SIDE VIEW



LP 0202 R / LP 0202 S 14



ALS RETAIL SURFACE



ALS GLASS SHELF SURFACE 17



ECO 3535 21



23




ECO 7090 25



LP 0204 R / LP 0204 S 14



ALS RETAIL RECESSED-01 16



ECO 2512 19



ECO 3535 TRIM





ECO 7575 TRIM 23





PREMIUM LINEAR LED LIGHTING

INDEX

PREMIUM LINEAR LED LIGHTING

LINEA 5050

LINEA 4848

43

41



 $\frac{\text{CORNER 60}^{\circ}}{27}$



WALL LIGHT LP 0501 29



HAND RAILING 31



SKIRTING WALL WASH LP 0704 33



WALL UP-DOWN LP 0505



LINEA 1525 TRIM 38



WALL WASHER ASYMMETRIC RECESSED



WALL LIGHT LP 0502 30



ALS FOOT LIGHT LP 0701



ALS COVE LP 0901

34



FLOOR INDOOR SMALL



LINEA 2525 39



WALL WASHER ASYMMETRIC SURFACE



WALL LIGHT LP 0503 30

32

34

36

LINEA 2530

39

FLOOR INDOOR BIG



BIG CORNER 5050

29

ALS STEP LIGHT LP 0702

ALS DEEP COVE LP 0903 ALS 2525 3D





LINEA 2525 TRIM 40

LINEA 3050 TRIM 40



LINEA 7780 TRIM 42



LINEA 90100



LINEA 10020 UP DOWN SUSPENDED 47

EDGE PROFILE-RECESSED

EDGE PROFILE-DOUBLE-SIDED

50

52



47

51

53






EDGE PROFILE-SINGLE-SIDED

EDGE PROFILE-SINGLE-SIDED, NARROW

LINEA 112100 TRIM 45































LINEA 5050 TRIM 41




LINEA 4870 43



LINEA 90136 UP DOWN 46



RIM PROFILE



EDGE PROFILE-SINGLE-SIDED 51



EDGE PROFILE-DOUBLE-SIDED, NARROW 53



LINEA 6080 42



LINEA 48100 UP DOWN 44



LINEA 13590

46



SHELF PROFILE MINI

50



EDGE PROFILE-DOUBLE-SIDED 52



ENCAPSULATED IP RATED LINEAR LED LIGHTS 54-56



Micro

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 8mm, H: 9mm Light Source: 5mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension





Accessories





End Cap Mounting Clip

Micro

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 12mm (8mm), H: 9mm Light Source: 5mm LED Strip Installation: Recessed Mounted Available Length: 3 meter

Dimension



Accessories



End Cap

MICRO SM0809



Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com



MICRO RM0809 TRIM







Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 10mm, H: 13mm Light Source: 8mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension



Accessories





End Cap

Mounting Clip

Micro

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 14mm (10mm), H: 13mm Light Source: 8mm LED Strip Installation: Recessed Mounted Available Length: 3 meter

Dimension



Accessories



End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com



MICRO RM1013 TRIM





Micro

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 12mm, H: 14mm Light Source: 8mm LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension





Accessories





Mounting Clip


Micro

Specifications

End Cap

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 16mm (12mm), H: 14mm Light Source: 8mm LED Strip Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

MICRO SM1214



Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com



MICRO RM1214 TRIM





Bendable Profile

Specifications

Material: Anodized Aluminum Diffuser: Milky Polycarbonate Dimension: W: 18mm, H: 6mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Lengths: 3meter Max Bend Radius: 15.24cm Dimension

Accessories





End Cap

Mounting Clip

Bendable Profile

Specifications

Material: PVC & PU Dimension: W: 10mm, H: 18.5mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 5 meter/roll

Dimension

Accessories



End Cap

Mounting Clip

Bendable Profile

Specifications

Material: PU Dimension: W: 14mm, H: 13mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 5 meter/roll

Dimension

Accessories







End Cap

Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com





BEND PMMA 1018 SIDE VIEW




BEND 1413 TOP VIEW





Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Light Source: 8mm LED Strip Installation: Recessed in Drywall Available Length: 3.6 meter

Dimension



Accessories



POP (Architectural)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Light Source: 8mm LED Strip Installation: Recessed in Drywall Available Length: 3.6 meter

Dimension



Accessories



End Cap

POP FLAT 1214



Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com



POP CORNER IN 1214




POP (Architectural)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Light Source: 8mm LED Strip Installation: Recessed in Drywall Available Length: 3.6 meter

Dimension



Accessories



POP FLAT 1214

POP CORNER IN 1214


POP CORNER OUT 1214



Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com

POP CORNER OUT 1214








Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 10mm, H: 35mm Light Source: 8mm LED Strip Installation: Recessed in Drywall Available Length: 3.6 meter

Dimension



Accessories




End Cap

POP (Architectural)


Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 25mm (49mm), H: 24mm Light Source: 10mm LED Strip Installation: POP Available Length: 3.6 meter

Dimension



Accessories



End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

POP COVE MICRO 1035





POP WINGS 2525





POP (Architectural)

Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 35mm (65mm), H: 33mm Light Source: 10mm LED Strip Installation: POP Available Length: 3.6 meter

Dimension



Accessories




End Cap

POP (Architectural)

Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 50mm (80mm), H: 32mm Light Source: 10mm LED Strip Installation: POP Available Length: 3.6 meter

Dimension



Accessories




End Cap


Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

POP WINGS 3535





POP WINGS 5035






Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 16mm, H: 12mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension



Accessories





Mounting Clip

Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

End Cap

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 22mm (16mm), H: 12mm Light Source: 10mm LED Strip Installation: Recessed Mounted Available Length: 3 meter

Dimension



Accessories



End Cap

LP 0101





LP 0102







Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 15.2mm, H: 6mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension



Accessories





End Cap

Mounting Clip

Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 22mm (15.2mm), H: 6mm Light Source: 10mm LED Strip Installation: Recessed Mounted Available Length: 3 meter

Dimension




Accessories



End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com







Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 18.5mm, H: 16mm Light Source: 10mm LED Strip Installation: Suspended Available Length: 3 meter

Dimension



Accessories




End Cap

Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 16mm, H: 18mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension



Accessories





End Cap

Mounting Clip

LP 0105







LP 0106





Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 22mm (16mm), H: 18mm Light Source: 10mm LED Strip Installation: Recessed Mounted Available Length: 3 meter

Dimension



Accessories



End Cap

Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 07mm, H: 26mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension



Accessories



End Cap

Mounting Clip

11

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com



LP 0107



LP 0108








Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 19mm, H: 19mm (45°) Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension





End Cap




Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 18mm, H: 18mm (45°) Light Source: 10mm LED Strip Installation: Recessed Mounted Available Length: 3 meter

Dimension



Accessories





End Cap

Mounting Clip

LP 0201





LP 0205








Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 16mm, H: 16mm (45°) Light Source: 8mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension



Accessories





End Cap


Mounting Clip

Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 30mm, H: 30mm (45°) Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension





Accessories



End Cap

Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com



LP 0204 R / LP 0204 S





Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 57mm, H: 9mm Light Source: 10mm x 3 LED Strip Installation: Surface/ Recessed Mounted Available Length: 3 meter

Dimension



Accessories



End Cap

Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 15mm, H: 30mm Light Source: 10mm LED Strip Installation: Suspended Available Length: 3 meter

Dimension



Accessories





End Cap

Mounting Clip

LP 0301 (TRIPLE)









Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 32mm, H: 13mm (Angular) Light Source: 8mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension



Accessories



Basic (Kitchen, Wardrobe, Hardware & Retail Display)

Specifications

Material: Anodized Aluminum Diffuser: Clear/ Opal or Frosted Polycarbonate Dimension: W: 30mm, H: 18mm Light Source: 10mm x 2 LED Strip Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com



ALS RETAIL SURFACE



ALS RETAIL RECESSED-01






Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 26mm, H: 22mm (Glass 8mm & 12mm) Light Source: 10mm x 2 LED Strip Installation: Surface Mounted Available Length: 3.6 meter


Dimension



Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 34mm, H: 70mm Light Source: 10mm LED Strip Installation: Recessed Mounted Available Lengths: 2m, 2.5m, 3m

Dimension



Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 32mm, H: 30mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Lengths: 2m, 2.5m, 3m

Dimension



ALS RETAIL GLASS MOUNTED-01




ALS GLASS SHELF RECESSED



ALS GLASS SHELF SURFACE











Economic



Economic

Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 23.6mm, H: 12mm Light Source: 10mm x 2 LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Mounting Clip

ECO 2512





Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 23.6mm, H: 18mm Light Source: 10mm x 2 LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension



Accessories





End Cap

Mounting Clip

Economic

Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 30.6mm (23.6), H: 20mm Light Source: 10mm x 2 LED Strip Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories




23

End Cap

Mounting Clip


Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

ECO 2518



ECO 2520 TRIM







Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 35mm, H: 35mm Light Source: 10mm x 3 LED Strip Installation: Surface/ Suspended Mounted Available Length: 3.6 meter

Dimension



Accessories




End Cap

Economic

Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 46mm (35mm), H: 35mm Light Source: 10mm x 3 LED Strip Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories





End Cap

Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

ECO 3535





ECO 3535 TRIM





Economic

Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 50mm, H: 35mm Light Source: 10mm x 3 LED Strip Installation: Surface/ Suspended Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Economic

Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 65mm (50mm), H: 35mm Light Source: 10mm x 3 LED Strip Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com




ECO 5035 TRIM





Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 75mm, H: 35mm Light Source: 10mm x 3/4 LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension



Accessories




End Cap

Economic

Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 90mm (75mm), H: 35mm Light Source: 10mm x 3/4 LED Strip Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap



Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

ECO 7535





ECO 7575 TRIM



Economic

Specifications

Material: Anodized Aluminum Diffuser: Frosted Three Side Polycarbonate Dimension: W: 50mm, H: 70mm Light Source: 10mm x 2/3 LED Strip Installation: Surface/ Suspended Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Economic

Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 50mm, H: 70mm Light Source: 10mm x 2/3 LED Strip Installation: Surface/ Suspended Mounted Available Length: 3.6 meter

Dimension




Accessories



End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

ECO 5070 3D





ECO 5070 FLAT






Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 70mm, H: 90mm Light Source: 10mm x 2/3 LED Strip Installation: Surface/ Suspended Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

ECO 7090












Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 26.5mm, H: 29mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap


Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 29mm, H: 26.5mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension





Accessories



End Cap

CORNER 30°



Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com



CORNER 60°






Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 32mm, Cutout +25mm, H: 33mm Light Source: 13mm LED Strip Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories




End Cap

Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 25mm, H: 30mm Light Source: 13mm LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

WALL WASHER ASYMMETRIC RECESSED






WALL WASHER ASYMMETRIC SURFACE





Material: Anodized Aluminum Profile Diffuser: 2 Side "L" Polycarbonate Dimension: W: 50, H: 51mm Light Source: 10mm x 2 LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension



Accessories





Mounting Clip

Architecture (Interior Design)

Specifications

End Cap

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 33mm, H: 57mm Light Source: 10mm x 2 LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension



Accessories





End Cap

Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

BIG CORNER 5050





WALL LIGHT LP 0501




Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 65mm, H: 26mm Light Source: 10mm x 2 LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension



Accessories




End Cap Mounting Clip

Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 32mm, H: 25mm Light Source: 10mm x 2 LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension



Accessories





End Cap

Mounting Clip

29

Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com |





WALL LIGHT LP 0503





Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 35mm, H: 85mm Light Source: 10mm x 2+10mm x 2 LED Strip Installation: Surface Mounted Available Length: 3.6 meter

Dimension





Accessories





End Cap Mounting Clip

Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 42mm, H: 41mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension




Accessories



Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com

WALL UP DOWN





HAND RAILING





Accessories




End Cap

Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 32mm, Cutout +72mm, H: 80mm Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 55mm, H: 21mm Installation: Surface Mounted Available Length: 3 meter

Dimension



Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

ALS FOOT LIGHT LP 0701





ALS STEP LIGHT LP 0702






Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 15mm, H: 58mm Light Source: 10mm LED Strip Installation: Surface Mounted Available Length: 3 meter

Dimension



Accessories




End Cap

Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 30mm, H: 106mm Installation: Surface Mounted Available Length: 3 meter

Dimension



Accessories




End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com







SKIRTING WALL WASH LP 0704





Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 35mm, H: 45mm Installation: Before P.O.P Available Length: 3.6 meter

Dimension



Accessories



End Cap

Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 35mm, H: 70mm Installation: Before P.O.P Available Length: 3.6 meter

Dimension








End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

ALS COVE LP 0901



ALS DEEP COVE LP 0903





Architecture (Interior Design)

Specifications

Material: Base Anodized Aluminum Diffuser: 3 Side Polycarbonate Dimension: W: 25mm, H: 25mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories



End Cap

Architecture (Interior Design)


Specifications

Material: Anodized Aluminum Diffuser: 2 PCS Polycarbonate Dimension: W: 30mm, H: 40mm Installation: Surface Available Length: 3.6 meter

Dimension



Accessories



End Cap

ALS 2525 3D



Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com



WALL UP-DOWN LP 0505



Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Thick Polycarbonate Dimension: W: 21.3mm, H: 12mm Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories



Architecture (Interior Design)

Specifications

Material: Anodized Aluminum Diffuser: Thick Polycarbonate Dimension: W: 21.3mm, H: 26mm Installation: Recessed Available Length: 3.6 meter

Dimension



Accessories




End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com



FLOOR INDOOR BIG








Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 15mm, H: 30mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories



End Cap

Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 23mm, Cutout +15mm, H: 25mm Installation: Recessed Available Length: 3.6 meter

Dimension



Accessories





End Cap

Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

LINEA 1530



LINEA 1525 TRIM





Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 25mm, H: 25mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories




End Cap

Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 25mm, H: 30mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories



End Cap

Mounting Clip

LINEA 2525



Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com



LINEA 2530





Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 32mm, Cutout +25mm, H: 25mm Installation: Recessed Available Length: 3.6 meter

Dimension



Accessories



End Cap

Mounting Clip

Premium General Lighting


Specifications

Material: Anodized Aluminum Diffuser: Frosted Polycarbonate Dimension: W: 41mm, Cutout +30mm, H: 50mm Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories





End Cap


Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com



LINEA 3050 TRIM






Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 50mm, H: 50mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories




End Cap

Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 65mm, Cutout +50mm, H: 50mm Installation: Recessed Available Length: 3.6 meter

Dimension



Accessories



End Cap

Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com







LINEA 5050 TRIM




Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 60mm, H: 80mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories



Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 77, Cutout +60mm, H: 80mm Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Mounting Clip

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

LINEA 6080



LINEA 7780 TRIM





Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 48, H: 48mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories




End Cap

Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 48mm, H: 70mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories



End Cap

LINEA 4848



Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com



LINEA 4870



Premium General Lighting


Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 48mm, H: 100mm Installation: Suspended Available Length: 3.6 meter

Dimension



Accessories



End Cap



Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

LINEA 48100 UP DOWN





Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 90mm, H: 100mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories




End Cap

Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 112mm, Cutout +90mm, H: 100mm Installation: Recessed Mounted Available Length: 3.6 meter

Dimension



Accessories



End Cap

Mounting Clip


LINEA 90100



Architectural Lighting Solutions URL: www.indiaals.com | E-mail:info@indiaals.com



LINEA 112100 TRIM



Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 90mm, H: 136mm Installation: Up-Down Suspended Available Length: 3.6 meter

Dimension



Accessories



End Cap

Premium General Lighting

Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 135mm, H: 90mm Installation: Techzone, Recessed Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories



End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com

LINEA 90136 UP DOWN



LINEA 13590






Specifications

Material: Anodized Aluminum Diffuser: Polycarbonate Dimension: W: 100mm, H: 20mm Installation: Suspended Available Length: 3.6 meter

Dimension



Accessories



End Cap

Premium General Lighting

Specifications

Material: Base Anodized Aluminum Diffuser: 3 side Polycarbonate Dimension: W: 54mm, H: 80mm Installation: Surface, Suspended Available Length: 3.6 meter

Dimension



Accessories



End Cap

Architectural Lighting Solutions URL: www.indiaals.com | E-mail: info@indiaals.com


LINEA 10020 UP DOWN SUSPENDED







GLOW 3D












SHELF PROFILE MINI



EDGE PROFILE-RECESSED














34,9 / 32,9 / 35,9






EDGE PROFILE-DOUBLE-SIDED







46,9 / 48,9 / 49,9



EDGE PROFILE-DOUBLE-SIDED (OPTION TO FILL WITH MATCHING EDGE BANDING)


















encapruled

Encapsulated IP Rated Linear LED Lights



• LED Profiles In Aluminum • Stainless Steel • Polyurethane Flexible • Ingress Protection upto IP 68 • Facade, Walk over & Drive over • Custom Lengths • Custom Colour Temperatures • Custom Wattages • Different Shore Hardness Available

• Manufacturers of IP68 Gel Connectors

European Technology, Machinery & Raw Material Made in India





Encapruled

Encapsulated IP Rated Linear LED Lights

Encapruled

Encapsulated IP Rated Linear LED Lights



EL – OPTICS 10°/30°/60°




EL - TILT ASYMMYTRIC



EL-R CORNER 30°60°







European Technology, Machinery & Raw Material Made in India

European Technology, Machinery & Raw Material Made in India